

STANDARD MODELS

Model	Frequency Range	Output Power $P_N$ min / typ W	Gain min / typ dB	Harmonics 2nd / 3rd dBc	Line Power VA	Dimensions (H, D) 19"-System	Weight kg
BLMA 6012-0.5	6 ... 12 GHz	0.5 / 0.6	27 / 29 ±2	20 / 20	75	2 HU, 430 mm	11
BLMA 6012-1	6 ... 12 GHz	1 / 1.2	30 / 32 ±2	20 / 20	75	2 HU, 430 mm	11
BLMA 6012-2	6 ... 12 GHz	2 / 2.3	33 / 35 ±2	20 / 20	90	2 HU, 430 mm	11
BLMA 6012-5	6 ... 12 GHz	5 / 6	37 / 39 ±2	15 / 20	150	2 HU, 430 mm	12
BLMA 6012-10	6 ... 12 GHz	10 / 11	40 / 42 ±2	15 / 20	300	2 HU, 430 mm	12
BLMA 6012-20	6 ... 12 GHz	20 / 22	43 / 46 ±3	15 / 20	400	2 HU, 430 mm	13
BLMA 6012-35	6 ... 12 GHz	35 / 40	45.4 / 51 ±5	12 / 20	800	3 HU, 430 mm	15
BLMA 6012-50	6 ... 12 GHz	50 / 55	47 / 51 ±4	12 / 20	800	3 HU, 430 mm	18
BLMA 6012-60	6 ... 12 GHz	60 / 65	47.8 / 52 ±4	15 / 20	1000	3 HU, 630 mm	23
BLMA 6012-100	6 ... 12 GHz	100 / 110	50 / 54 ±4	15 / 20	1600	4 HU, 630 mm	23

For individual data sheets, please click on the above model name

1 HU = 44.45 mm